



KIT, SOLDERING GUN 9400 140W/100W, EU

Item No: WLG9400K23C
Weller 140W/100W Soldering Gun
Kit, EU

The Weller WLG940023C series soldering gun is optimally used for heavy-duty soldering, cutting, and smoothing applications including those involving: heat sinks, ground planes, metal art, and plumbing.

RECOMMENDED FOR FOLLOWING APPLICATIONS



KEY FEATURES

- Solder. Smooth. Cut.:** Soldering Gun comes with an assortment of high quality, genuine Weller tips that are optimally designed for heavy-duty soldering, cutting, and smoothing applications
- 6 Second Heat-up:** Focused bright LED light provides illumination for improved visibility in low-light environments
- Better Visibility:** Soldering Gun delivers two levels of power for your soldering task needs, both deliver heat up to 900 °F. When full 140 Watt power is needed, pull the trigger halfway. When medium 100 Watt power is needed, pull the trigger fully
- Dual Power Trigger:** The co-molded perfect fit pistol grip features a soft, non-slip grip and great ergonomic feel
- Comfort Grip:** Soldering Gun, storage case, 1X soldering tip (T0054000299), 1X cutting tip (T0054000399), and 1X smoothing tip (T0054000199), lead free solder wire, and hex key
- Scope of delivery:**



Solder. Smooth. Cut.

Soldering Gun comes with an assortment of high quality, genuine Weller tips that are optimally designed for heavy-duty soldering, cutting, and smoothing applications



Better Visibility

Focused bright LED light provides illumination for improved visibility in low-light environments



6-Sec Heat-Up

Dual Power Trigger

Soldering Gun delivers two levels of power for your soldering task needs, both deliver heat up to 900 °F. When full 140 Watt power is needed, pull the trigger halfway. When medium 100 Watt power is needed, pull the trigger fully



Comfort Grip

The co-molded perfect fit pistol grip features a soft, non-slip grip and great ergonomic feel



TECHNICAL DATA

Cord Length	1.50
Minimum Order Quantity	1

Weight in lb	3.69
Voltage	230 V
Power	140 W / 100 W
Power cable	EMEA
EAN	4003019445080
Temperature range °C	480
Weight (approx.) in kg	1.67
Temperature range °F	900